



# Breplasta<sup>®</sup>

## Mineral Spritzspachtel Leicht

Ready-mixed spray filler



### Product information

White mineral ready-mixed spray filler for airless application on all common types of indoor wall and ceiling surfaces. Fine dolomite marble provides maximum whiteness and build. The special consistency combined with high build means that the filler has excellent working properties, the product is suitable in both renovation and new construction.

The product fulfills CE marking requirements according to EN 13963 and is manufactured in accordance with ISO 9001 and ISO 14001.

Tools are to be cleaned in water. Large volumes of waste can be deposited as normal refuse at municipal refuse facilities. The plastic in the packaging is recyclable and must therefore be taken to the appropriate recycling point or municipal recycling plant

### Instructions

For spray application on clean, dry and firmly attached surfaces at a minimum temperature of +5°C. The filled surface is sanded when it has dried. Use sandpaper with particle size 100-120.

Eye protection and a dust mask are recommended when sanding. Dust off before the next treatment. Filled surfaces should be primed before wallpapering.

### Consumption of material:

1 mm thin coat plastering = approx. 1 litre/m<sup>2</sup>  
Joint filling on plasterboard = approx. 0.3 l/m.

### Drying time

The drying time is dependent on substrate, layer thickness, temperature, air humidity etc.

### Storage

Protect from frost and direct sunlight. Filler is perishable and therefore labelled with a date of production. Unopened packs can be stored for 12 months.

### Technical data

**Binder:** Latex co-polymer

**Solvent:** Water

**Filler:** Microspheres and white dolomite

**Particle size:** Max: 0.25 mm

**pH:** Approx.: 9

**Colour:** White

**Flammability:** Does not spread or support fire

Breplasta product data sheets are provided for guidance only. The data presented does not constitute a guarantee that the product will have certain properties or be suitable for a particular area of application. These values apply under normal circumstances. We reserve the right to make changes without prior notice. Users are responsible for ensuring they use the latest edition of this data sheet. Checks can be made at [www.dalapro.com](http://www.dalapro.com).

Last updated 21 December 2016