



PRODUCT DATA SHEET

Dalapro Deco



- White coarse handfiller
- Gives a render/plasterlike surface
- Suitable for both indoor and outdoor use
- Easy to make textures



Dalapro Deco

Ready-mixed textured filler for walls and facades



PRODUCT INFORMATION

Dalapro Deco is a ready-mixed decorating filler for render texturing for all common types of indoor and outdoor wall and ceiling surfaces. Filler should be applied by hand on clean, dry and firmly attached surfaces at a minimum temperature of +10°C. By using different techniques during application, it is possible to create very striking results in the form of various patterns and structures.

The product fulfills CE marking requirements according to EN 15824 and is manufactured in accordance with ISO 9001 and ISO 14001.

Tools are to be cleaned in water. Large volumes of waste can be deposited as normal refuse at municipal refuse facilities. The plastic in the packaging is recyclable and must therefore be taken to the appropriate recycling point or municipal recycling plant.

INSTRUCTIONS

Apply by hand on clean, dry and firmly attached surfaces at a minimum temperature of +10°C. Maximum recommended surface temperature is +120°C, e.g. on a fireplace.

CONSUMPTION OF MATERIAL

1 mm thin coat plastering = approx. 1 litre/m².
2 mm thin coat plastering = approx. 2 litres/m².

DRYING TIME

The drying time is dependent on substrate, layer thickness, temperature, air humidity etc.

STORAGE

Protect from frost and direct sunlight. Filler is perishable and therefore labelled with a date of production. Unopened packs can be stored for 12 months. Visit www.dalapro.com for further information.



TECHNICAL DATA

Binder: Latex co-polymer
Solvent: Water
Filler: Microspheres and white dolomite
Particle size: Max: 0.7 mm
pH: Approx.: 9
Colour: White
Flammability: Does not spread or support fire
Packaging: 12 litre plastic bucket

Dalapro product data sheets are provided for guidance only. The data presented does not constitute a guarantee that the product will have certain properties or be suitable for a particular area of application. These values apply under normal circumstances. We reserve the right to make changes without prior notice. Users are responsible for ensuring they use the latest edition of this data sheet. Checks can be made at www.dalapro.com.

Last updated 09/10/2017