



PRODUCT DATA SHEET

Dalapro F



- A white hand filler for repair and smoothing
 - Suitable for walls and ceilings indoors



Dalapro F

Ready-mixed fine-grain filler for concrete, renovation etc



PRODUCT INFORMATION

Dalapro F is a traditional white, ready-mixed, fine-grained hand filler on all common types of indoor wall and ceiling surfaces. Fine dolomite marble provides maximum whiteness and build. The smooth consistency makes the product suitable for thin smoothing in both renovation and new construction.

The product fulfills CE marking requirements according to EN 15824 and is manufactured in accordance with ISO 9001 and ISO 14001.

Tools are to be cleaned in water. Large volumes of waste can be deposited as normal refuse at municipal refuse facilities. The plastic in the packaging is recyclable and must therefore be taken to the appropriate recycling point or municipal recycling plant.

INSTRUCTIONS

Apply by hand on clean, dry and firmly attached surfaces at a minimum temperature of +5°C. The filled surface is sanded when it has dried. Use sandpaper with particle size 120-150. Eye protection and a dust mask are recommended when sanding. Filled surfaces should be primed before wallpapering.

CONSUMPTION OF MATERIAL

1 mm thin coat plastering = approx. 1 litre/m².

DRYING TIME

The drying time is dependent on substrate, layer thickness, temperature, air humidity etc.

STORAGE

Protect from frost and direct sunlight. Filler is perishable and therefore labelled with a date of production. Unopened packs can be stored for 12 months. Visit www.dalapro.com for further information.



TECHNICAL DATA

Binder: Latex co-polymer
Solvent: Water
Filler: Microspheres and white dolomite
Particle size: Max: 0.15 mm
pH: Approx.: 9
Colour: White
Flammability: Does not spread or support fire
Packaging: 10 litre plastic buckets

Dalapro product data sheets are provided for guidance only. The data presented does not constitute a guarantee that the product will have certain properties or be suitable for a particular area of application. These values apply under normal circumstances. We reserve the right to make changes without prior notice. Users are responsible for ensuring they use the latest edition of this data sheet. Checks can be made at www.dalapro.com.

Last updated 16/02/2017