

# Experience the difference

Ready-mix solutions for professional painters



**Dalap**pro



## How to achieve a perfect result

- Make your choice of ready-mixed filler based on method and substrate material.
- Examine the surfaces before you begin working. The substrate should be firm, clean and dry.
- Use spatula tools that are suited to the job and give a good result.
- Work at the right temperatures (preferably approx. 18-20° C, but not below 10° C) and at the right humidity (approx. RH 50%).
- Use recommended personal protective equipment.
- Apply filler in thin layers, allowing the filler to dry more quickly.
- Take your time and be careful manually applying the filler. This will make for less sanding.
- Always follow the manufacturer's instructions.

# Painter's fillers adapted to your professional needs

**Different fillers have different characteristics. The raw materials used in their manufacture and the proportions in which they are mixed differ. Dalapro has a broad range of fillers that allows you to choose products based on the substrate and the finish you require.**

No matter which product you choose, you will have an efficient filler with good properties for manual working, that fills up, adheres to and covers the substrate well.

Dalapro is easy to smooth without scratching it and without having dust suspended in the air. You will have optimal time for manual working before the filler dries, while at the same time it gives quick superficial drying without cracking. There is Dalapro for various areas of use, where each filler is developed to provide the best possible usefulness based on your needs. There is filler adapted to joint filling of wall-boards.

Other fillers are for use in wet rooms.

And there are products for very coarse surfaces and for filling metal surfaces and wood-work. When you choose Dalapro, you always have access to an even filler compound with the right characteristics for the highest quality.

The most common packages are 10-litre and 15-litre plastic buckets and 15-litre plastic bags that are easy to use and recycle.

Choose your own favourites in the Dalapro range and experience the difference.

# Experience the difference on smooth surfaces

For larger surfaces, you can use an electrical piston pump for spray-applying filler. Dalapro Airless S gives perfect sprayability particularly adapted to high-pressure sprayers of the airless type. Be careful to use the right equipment.

For demanding surfaces, a thin smoothing with filler is always recommended before painting or wall papering, especially in the case of surfaces with inclined incident lights.



Dalapro has products for special areas of use, but Dalapro also offers fillers that have been developed to suit a more varied need.

Holes, cracks and wallpaper seams are filled with Dalapro Medium, which is a medium-grade filler, or Dalapro Fine, a fine-grade filler that is applied in thinner layers and where a higher finish is required.

## Try it yourself

The team behind Dalapro has the products and the experience. Together, we have the resources to develop new projects and customised solutions.

## Contact Dalapro

[www.dalapro.com](http://www.dalapro.com), phone +46 (0)19 46 34 00



Products especially for concrete, render, wall-paper, fabric, renovation etc.

READY-MIXED FILLER				
Manual application	Dalapro Fine	0.5	litre	tube
Manual application	Dalapro Fine	3	litre	bucket
Manual application	Dalapro Medium	3	litre	bucket
Manual application	Dalapro Medium	10	litre	bucket
Manual application	Dalapro Max	3	litre	bucket
Manual application	Dalapro Max	10	litre	bucket
Manual application	Dalapro Roll	12	litre	bucket
Machine application	Dalapro S	15	litre	bag
Machine application	Dalapro Airless S	15	litre	bag
Machine application	Dalapro Lightning Medium	15	litre	bucket
Machine application	Dalapro Lightning Medium	15	litre	bag
Machine application	Dalapro Lightning Max	15	litre	bucket
Machine application	Dalapro Lightning Max	15	litre	bag
ADHESIVES				
Manual/machine application	Dalapro Plus	5	litre	bucket
Manual/machine application	Dalapro Plus	15	litre	bucket
OTHER				
Wall covering	Dalatex CP 100 A	50	metre	roll



# Experience the difference on

**Plasterboard is today the dominant material for partitions in homes and commercial premises etc. For these surfaces, there are today elaborated recommendations that vary depending on the requirements placed on the final result.**



# n plasterboard surfaces

Ensure before applying filler that the plasterboard has been properly mounted in accordance with valid standards, so that the boards are level with each other and edge-to-edge. Screw heads must not protrude or pierce the wallboard's cardboard.

Priming in connection with joint filling consists of first embedding tape and then another two applications of filler. Walls with inclined incident lights are to be smoothed with a thin coat of filler.

Choose Dalapro products specially developed for plasterboard. Use Dalapro Joint joint filler to embed joining tape – this will give you a strong joint. When joining plasterboard, paper

tape should always be used to reinforce the joints and prevent cracking. Marco Joint Tape has been developed specially for this purpose. In corners, it is a good idea to reinforce with NoCoat as corner protection. With the Board Patch repair kit, you can quickly and easily repair holes and other damage to plasterboard. Dalapro Premium has the consistency needed for the second and third application of filler on all joints and for complete smoothing work. Dalapro Lightning Premium has good filling properties and good properties for manual working and is specially suited to spray application.

Study the rules according to EU standard I3963.

**Products especially for surfaces with plasterboard**

READY-MIXED FILLER					
Manual application	Dalapro Joint	10	litre	bucket	
Manual application	Dalapro Premium	10	litre	bucket	
Machine application	Dalapro Lightning Premium	15	litre	bucket	
Machine application	Dalapro Lightning Premium	15	litre	bag	
POWDER FILLER					
Manual application	Dalapro DM20	5	kg	bag	
Manual application	Dalapro DM60	12,5	kg	bag	

## Try it yourself

The team behind Dalapro has the products and the experience. Together, we have the resources to develop new projects and customised solutions.

## Contact Dalapro

[www.dalapro.com](http://www.dalapro.com), phone +46 (0)19 46 34 00

# Experience the difference in wet rooms

**Dalapro Hydro is a wet room filler that meets current industry requirements. Dalapro Hydro is middle-grade, giving maximum adhesiveness to the substrate material and a hard, water-repellent surface. Also, wet room filler provides long-lasting protection against mould.**

Dalapro Hydro wet room filler, which has a bluish, traceable signal colour, can be used on most ceiling and wall surfaces in wet rooms, for example on concrete, render, masonry walls and wet room boards.

Choose Dalapro Plus Hydro wet room adhesive to affix wallpaper or fabric for wet rooms. Dalapro Plus Hydro, which also has a traceable colour, is an adhesive that is specially adapted for moist wet room conditions indoors.

## Try it yourself

The team behind Dalapro has the products and the experience. Together, we have the resources to develop new projects and customised solutions.

## Contact Dalapro

[www.dalapro.com](http://www.dalapro.com), phone +46 (0)19 46 34 00



**Products especially for wet rooms**

READY-MIXED FILLER				
Manual application	Dalapro Hydro	3	litre	bucket
Manual application	Dalapro Hydro	10	litre	bucket
ADHESIVES				
Manual/machine application	Dalapro Plus Hydro	5	litre	bucket
Manual/machine application	Dalapro Plus Hydro	15	litre	bucket

# Experience the difference for woodwork and outdoors

Dalapro Wood Finish is a fine-grade joinery and wood filler that has been specially developed for filling wood and steel constructions indoors, for example doorframes, doors, and similar surfaces. Dalapro Wood Finish meets the highest requirements on surface evenness. The strong adhesive-

ness, filling characteristics and a non-absorbent surface make the filled surface a perfect prime coat for lacquer and high-gloss paints.

Apply on dry, well bonded and clean surfaces.

Use a wood primer on untreated joinery before filling.

Use Dalapro Facade for filling holes and cracks in masonry walls, concrete, render and other mineral surfaces outdoors. Dalapro Facade is a coarse light filler with very good filling characteristics, particularly suitable for use in repair work outdoors.

Prepare the surfaces that are to be filled carefully. Apply on dry, solid and clean surfaces. Loosely bound bases should be primed before filling.

## Try it yourself

The team behind Dalapro has the products and the experience. Together, we have the resources to develop new projects and customised solutions.

## Contact Dalapro

[www.dalapro.com](http://www.dalapro.com), phone +46 (0)19 46 34 00



**Products especially  
for joinery and  
woodwork**


READY-MIXED FILLER				
Manual application	Dalapro Wood Finish	0,2	litre	tube
Manual application	Dalapro Wood Finish	0,5	litre	tube
Manual application	Dalapro Wood Finish	3	litre	bucket

**Products especially  
for outdoor  
surfaces**

READY-MIXED FILLER				
Manual application	Dalapro Facade	10	litre	bucket



# Dalapro product guide



In the broad Dalapro range you will always find a suitable product depending on your substrate material and method.

Filling of  
concrete,  
fabric,  
wallpaper  
etc.

READY-MIXED HAND FILLER				
Dalapro Fine	0,5	litre	tube	
Dalapro Fine	3	litre	bucket	
Dalapro Medium	3	litre	bucket	
Dalapro Medium	10	litre	bucket	
Dalapro Max	3	litre	bucket	
Dalapro Max	10	litre	bucket	
Dalapro Roll	12	litre	bucket	
READY-MIXED SPRAY FILLER				
Dalapro S	15	litre	bag	
Dalapro Airless S	15	litre	bag	
Dalapro Lightning Medium	15	litre	bucket	
Dalapro Lightning Medium	15	litre	bag	
Dalapro Lightning Max	15	litre	bucket	
Dalapro Lightning Max	15	litre	bag	
ADHESIVES				
Dalapro Plus	5	litre	bucket	
Dalapro Plus	15	litre	bucket	
ACCESSORIES				
Dalatex CP 100 A	50	metre	roll	

Filling  
plasterboard

READY-MIXED HAND FILLER				
Dalapro Joint	10	litre	bucket	
Dalapro Premium	10	litre	bucket	
READY-MIXED SPRAY FILLER				
Dalapro Lightning Premium	15	litre	bucket	
Dalapro Lightning Premium	15	liter	bag	
POWDER FILLER				
Dalapro DM20	5	kg	bag	
Dalapro DM60	12,5	kg	bag	

Filling in  
wet rooms

READY-MIXED HAND FILLER				
Dalapro Hydro	3	litre	bucket	
Dalapro Hydro	10	litre	bucket	
ADHESIVES				
Dalapro Plus Hydro	5	litre	bucket	
Dalapro Plus Hydro	15	litre	bucket	

Filling joinery  
and woodwork

READY-MIXED HAND FILLER				
Dalapro Wood Finish	0,2	litre	tube	
Dalapro Wood Finish	0,5	litre	tube	
Dalapro Wood Finish	3,0	litre	bucket	

Filling out-  
door surfaces

READY-MIXED HAND FILLER				
Dalapro Facade	10	litre	bucket	

# Dalapro is your choice for ease and excellence.

Ready-mixed filler is a Swedish invention, and the Dalapro product has been in the frontline of product development for over 50 years.

## Solutions for your professional needs

Dalapro was primarily developed based on your requirements as a professional. Dalapro is available in various special compositions enabling you to find exactly the filler solutions that suit the way you work and that create right "hand-on feeling". In other words: Dalapro makes it easier for you to do a perfect job.

## Improved ergonomics

The team behind Dalapro always has your work environment and ergonomics in mind. Dalapro fillers make your painting work easier, sparing both your back and shoulders. Dalapro is easy to apply, fills gaps well and is easy to smooth. It also reduces your costs for transport.

## Leading product development

Dalapro spray filler is specially designed for high-pressure spraying. Spray filling is a fast, ergonomic and profitable working method compared to hand filling. When you choose Dal-

apro, you get a product that is the leader in the development of spray filling.

## High, consistent quality

As the makers of Dalapro, we have the knowledge and experience needed to develop and supply ready-mixed fillers with the good quality characteristics you need. Dalapro is always of high, consistent quality.

## Dalapro support

Standing behind Dalapro are experts in fillers to whom you can turn directly with your questions and get help to solve problems. Call Dalapro Support on telephone number +46 (0)19 46 34 00.

## Active quality and environmental efforts

Dalapro fillers are made in accordance with the ISO 9001 quality system and the ISO 14001 environmental guidance system. Our goal is to meet the quality requirements of the future and ensure that the environmental impact of the products during their entire life cycle is at a minimum.

Scanspac AB  
Glanshammar  
Kemivägen 7  
SE-705 97 Glanshammar  
Telephone: +46 (0)19-46 34 00  
Fax: +46 (0)19-46 57 31  
Internet: [www.dalapro.com](http://www.dalapro.com)  
e-mail: [info@dalapro.com](mailto:info@dalapro.com)

Dalapro is a Saint-Gobain brand

# Dalapro

Experience the difference