



# Powder fillers for repairs indoors and outdoors



News!

Our latest addition Dalapro DM RepaFix is suitable for repairs both indoors and outdoors.  
Dalapro DM 20/40/60 is for indoor use only.

# Dalapro<sup>®</sup> DM

Our Dalapro DM range is suitable for walls and ceilings indoors, from fine smoothing to thick layers, and still get a fast drying time. Our powder fillers is suitable for drywall, concrete, bricks, blocks, and old wallpaper.

News!



## **Dalapro<sup>®</sup> DM RepaFix**

Our latest addition to the DM range. Suitable for indoors and outdoors repairs, offers high strength and stiffness.

## Dalapro DM RepaFix

White, easy mixed powder filler for indoors and outdoors use.

- Easy to mix
- Mixing time 2-4 min
- Nail and screw proof
- Easy to apply and easy to sand
- Binder: White cement
- Mixing ratio: 1.6 liter of water to 4 kg of powder
- Recommended layer thickness: 1-50 mm
- Packaging: Plastic bag 4 kg
- New packaging to ensure safer handling and transportation
- Meets CE – EN 998-1 requirements



## Dalapro DM 20/40/60

White allround powder filler for most common substrates.

- Low shrinkage
- Suitable for renovation and newbuilds
- Binder: Polymer reinforced
- Mixing ratio: 1 part water, 2 parts powder
- Layer thickness: 1-50 mm
- Filling capability: High, minimal shrinkage



## Dalapro DM20

- Suitable for smaller repairs and filling, indoors only
- 20 minute pot-life
- CE 19963 approved
- Packaging: Paperbag 5 kg



## Dalapro DM40


- Suitable for repairs, filling and smoothing, indoors only
- 40 minute pot-life
- CE 13963 approved
- Packaging: Paperbag 12.5 kg



## Dalapro DM60

- Suitable for repairs, filling and smoothing, indoors only
- 60 minute pot-life
- CE 13963 approved
- Packaging: Paperbag 12.5 kg

## Experience the difference



SEP20. V1©Scanspac

