# SAFETY DATA SHEET Dalapro Lightning Robust

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

.1. Product identifier       Dalapro Lightning Robust         product name       Dalapro Lightning Robust         urticle no.       115705015         .2. Relevant identified uses of the substance or mixture and uses advised against         prunction       Description: Filler for indoor walls and ceilings         .3. Details of the supplier of the safety data sheet         Company name       Saint Gobain Sweden AB BU Scanspac         Prostal address       Kemivägen 7         Prostode       S-705 97         Postode       S-705 97         Otty       Glanshammar         Country       Sweden         telephone number       + 46 19 463400         imail       ehs.scanspac@dalapro.com         Attp://www.dalapro.com       http://www.dalapro.com         Attempregency telephone       Telephone number: 112 Description: .	Date issued	07.10.2021
Product name         Dalapro Lightning Robust           Article no.         115705015           L2. Relevant identified uses of the substance or mixture and uses advised against           Function         Description: Filler for indoor walls and ceilings           L3. Details of the supplier of the safety data sheet         Saint Gobain Sweden AB BU Scanspac           Company name         Saint Gobain Sweden AB BU Scanspac           Office address         Kemivägen 7           Postal address         Kemivägen 7           Postcode         S-705 97           City         Glanshammar           Country         Sweden           Penail         ehs.scanspac@dalapro.com           Website         http://www.dalapro.com           Lenergency telephone         Telephone number: 112 Description: .	Revision date	04.10.2022
Article no.       115705015 <b>1.2. Relevant identified uses of the substance or mixture and uses advised against</b> Function       Description: Filler for indoor walls and ceilings <b>1.3. Details of the supplier of the safety data sheet</b> Company name       Saint Gobain Sweden AB BU Scanspac         Diffice address       Kemivägen 7         Postal address       Kemivägen 7         Postcode       S-705 97         City       Glanshammar         Country       Sweden         Telephone number       + 46 19 463400         Email       ehs.scanspac@dalapro.com         Website       http://www.dalapro.com         Telephone number: 112         Emergency telephone       Telephone number: 112         Emergency telephone       Telephone number: 112         Emergency telephone       Telephone number: 112         Description: .       State for a stat	1.1. Product identifier	
A.2. Relevant identified uses of the substance or mixture and uses advised againstFunctionDescription: Filler for indoor walls and ceilingsI.S. Details of the supplier of the safety data sheetCompany nameSaint Gobain Sweden AB BU ScanspacOffice addressKemivägen 7Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailhttp://www.dalapro.comI.4. Emergency telephoneTelephone numberI.2. Scription: .	Product name	Dalapro Lightning Robust
Function       Description: Filler for indoor walls and ceilings         I.3. Details of the supplier of the safety data sheet         Company name       Saint Gobain Sweden AB BU Scanspac         Office address       Kemivägen 7         Postal address       Kemivägen 7         Postode       S-705 97         City       Glanshammar         Country       Sweden         Telephone number       + 46 19 463400         Email       ehs.scanspac@dalapro.com         Mebsite       http://www.dalapro.com         I.4. Emergency telephone       Telephone number: 112 Description: .	Article no.	115705015
I.3. Details of the supplier of the safety data sheet         Company name       Saint Gobain Sweden AB BU Scanspac         Office address       Kemivägen 7         Postal address       Kemivägen 7         Postcode       S-705 97         City       Glanshammar         Country       Sweden         Telephone number       + 46 19 463400         Email       ehs.scanspac@dalapro.com         Website       http://www.dalapro.com         I.4. Emergency telephone       Telephone number: 112         Emergency telephone       Telephone number: 112         Emergency telephone       Telephone number: 112         Description: .       Telephone number: 112         Description: .       Telephone number: 112	1.2. Relevant identified	d uses of the substance or mixture and uses advised against
Office addressKemivägen 7Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephone number: 112 Description: .	Function	Description: Filler for indoor walls and ceilings
Office addressKemivägen 7Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephone number: 112 Description: .	1.3. Details of the sup	plier of the safety data sheet
Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephone numberEmergency telephoneTelephone number: 112	Company name	Saint Gobain Sweden AB BU Scanspac
PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephone number: 112 Description: .	Office address	Kemivägen 7
City       Glanshammar         Country       Sweden         Telephone number       + 46 19 463400         Email       ehs.scanspac@dalapro.com         Website       http://www.dalapro.com         I.4. Emergency telephone       Telephone number: 112         Description: .       State of the state of t	Postal address	Kemivägen 7
Country     Sweden       Telephone number     + 46 19 463400       Email     ehs.scanspac@dalapro.com       Website     http://www.dalapro.com	Postcode	S-705 97
Telephone number       + 46 19 463400         Email       ehs.scanspac@dalapro.com         Website       http://www.dalapro.com         I.4. Emergency telephone number         Emergency telephone       Telephone number: 112 Description: .	City	Glanshammar
Email       ehs.scanspac@dalapro.com         Website       http://www.dalapro.com         1.4. Emergency telephone       mber         Emergency telephone       Telephone number: 112 Description: .	Country	Sweden
Website     http://www.dalapro.com       1.4. Emergency telephone number       Emergency telephone       Telephone number: 112       Description: .	Telephone number	+ 46 19 463400
<b>1.4. Emergency telephone number</b> Emergency telephone         Telephone number: 112         Description: .	Email	ehs.scanspac@dalapro.com
Emergency telephone Telephone number: 112 Description: .	Website	http://www.dalapro.com
Description: .	1.4. Emergency teleph	one number
SECTION 2: Hazards identification	Emergency telephone	
	SECTION 2: Hazard	s identification

Supplemental label information	EUH 208 Contains: 1,2-Benzisotiazol-3(2H)-on, Mix of 5-klor-2-metyl-2H-isotiazol-3-on [EG nr 247-500-7] and 2-metyl-2H-isotiazol-3-on
	[EG nr 220-239-6], mix (3:1). May produce an allergic reaction.

#### 2.3. Other hazards

Other hazards

Grinding dust may irritate the eyes, skin and respiratory system

#### **SECTION 3: Composition / information on ingredients**

#### 3.2. Mixtures

Composition type	Mixture			
Substance	Identification	Classification	Contents	Notes
1,2-Benzisothiazolin-3-one	CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6	Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317; SCL H317: $C \ge 0,05 \%$ Aquatic Acute 1; H400; M-factor 1	< 500 ppm	
Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-on and 2-methyl-2H-isothiazol-3-one (3:1)	CAS No.: 55965-84-9 e Index No.: 613-167-00-5	Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 2; H310 Skin Corr. 1C; H314; SCL C $\geq$ 0,6 % Eye Dam. 1; H318; SCL C $\geq$ 0,6 % Skin Sens. 1A; H317; SCL C $\geq$ 0,0015 % Aquatic Acute 1; H400; M-factor 100 Aquatic Chronic 1; H410; M-factor 100	< 15 ppm	

#### SECTION 4: First aid measures

4.1. Description of first aid measures		
General	No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY!	
Inhalation	Fresh air and rest.	
Skin contact	Rinse with water. Contact physician if discomfort continues.	
Eye contact	Rinse with water. Contact physician if discomfort continues. Hold eyelids apart. Make sure to remove any contact lenses from the eyes before rinsing.	
Ingestion	Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions.	

#### 4.2. Most important symptoms and effects, both acute and delayed

#### 4.3. Indication of any immediate medical attention and special treatment needed

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials. This product is not flammable.

#### 5.2. Special hazards arising from the substance or mixture

#### 5.3. Advice for firefighters

#### **SECTION 6: Accidental release measures**

6.1. Personal precautions, protective equipment and emergency procedures		
General measures	Avoid release to the environment. Collect spillage.	
Personal protection measures	Wear protective clothing as described in Section 8 of this safety data sheet.	

o.z. Environmental precations		
Environmental precautionary	Prevent spillage entering a watercourse or sewer, contaminating soil or	
measures	vegetation. If this is not possible notify police and appropriate authorities	
	immediately.	

#### 6.3. Methods and material for containment and cleaning up

#### 6.4. Reference to other sections

6.2 Environmental precautions

#### **SECTION 7: Handling and storage**

7.1. Precautions for safe ha	7.1. Precautions for safe handling	
Handling	Avoid contact with eyes and prolonged skin contact. Use work methods which minimize dust production.	
7.2. Conditions for safe sto	rage, including any incompatibilities	
Storage	Keep cool. Store above freezing.	
7.3. Specific end use(s)		
Recommendations	Do not handle until all safety precautions have been read and understood.	
SECTION 8: Exposure controls / personal protection		

# 8.1. Control parameters Control parameters comments Data lacking. Not relevant. 8.2. Exposure controls

Precautionary measures to prevent exposure		
Product related measures to prevent exposure	Provide sufficient ventilation for operations causing dust formation.	
Eye / face protection		
Required Properties	Wear approved chemical safety goggles where eye exposure is reasonably probable.	
Hand protection		
Skin- / hand protection, long term contact	Gloves are recommended for prolonged use. Neoprene, nitrile, polyethylene or PVC.	
Respiratory protection		
Respiratory protection necessary at	In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter (type P2).	
Hygiene / environmental		
Specific hygiene measures	When using do not eat, drink or smoke. Use appropriate hand lotion to prevent defatting and cracking of skin.	
Appropriate environmental	exposure control	
Safety measures for consumer	Read label before use.	

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical state	Paste.	
Colour	Light grey	
Odour	Characteristic.	
рН	Status: In delivery state Value: ~ 9	
Freezing point	Value: < 0 °C	
Boiling point / boiling range	Value: > 100 °C	
Flash point	Value: > 100 °C	
Vapour pressure	Comments: No data recorded.	
Relative density	Value: ~ 1,2 kg/dm3	
Solubility	Medium: Water	

#### 9.2. Other information

use of the chemical

#### **SECTION 10: Stability and reactivity**

10.1. Reactivity	
Reactivity	There are no known conditions that are likely to result in a hazardous situation.
10.2. Chemical stability	
Stability	Stable under normal temperature conditions and recommended use.
10.3. Possibility of hazardo	us reactions
Possibility of hazardous reactions	No recommendation given.
10.4. Conditions to avoid	
10.5. Incompatible material	S
Materials to avoid	No incompatible groups noted.
10.6. Hazardous decompos	ition products
Hazardous decomposition products	Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.
SECTION 11: Toxicologic	cal information
11.1. Information on hazard	classes as defined in Regulation (EC) No 1272/2008
Other toxicological data	No known chronic or acute health risks.
Symptoms of exposure	
In case of skin contact	Dust has an irritating effect on moist skin.
In case of inhalation	Dust may irritate respiratory system.
In case of eye contact	Particles in the eyes may cause irritation and smarting.
11.2 Other information	
Other information	Not relevant.
SECTION 12: Ecological	information
12.1. Toxicity	
Ecotoxicity	There are no data on the ecotoxicity of this product.
12.2. Persistence and degra	adability
Persistence and degradability description/evaluation	No data recorded.
12.3. Bioaccumulative pote	ntial
Bioaccumulation, comments	Bioaccumulation: Is not expected to be bioaccumulable.

#### 12.4. Mobility in soil Mobility The product is insoluble in water. 12.5. Results of PBT and vPvB assessment Results of PBT and vPvB No data recorded. assessment 12.6. Endocrine disrupting properties 12.7. Other adverse effects **SECTION 13: Disposal considerations** 13.1. Waste treatment methods EWC waste code EWC waste code: 080410 waste adhesives and sealants other than those mentioned in 08 04 09 Other information When handling waste, consideration should be made to the safety precautions applying to handling of the product. **SECTION 14: Transport information**

#### 14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

#### **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulationsRegulation (EC) No 1907/2006 of the European Parliament and of the Council of<br/>18 December 2006 concerning the Registration, Evaluation, Authorisation and<br/>Restriction of Chemicals (REACH), establishing a European Chemicals Agency,<br/>amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/<br/>93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/<br/>769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and<br/>2000/21/EC, including amendments. The Aerosol Dispensers Regulations 2009<br/>(SI 2824), with amendments. The List of Wastes (England) (Amendment)<br/>Regulations 2005. (SI 2005 No. 895). EH40/2005, Workplace exposure limits<br/>2005, with amendments.

#### 15.2. Chemical safety assessment

Chemical safety assessment Yes performed

#### **SECTION 16: Other information**

Supplier's notes	The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user.
List of relevant H-phrases (Section 2 and 3)	<ul> <li>H301 Toxic if swallowed.</li> <li>H302 Harmful if swallowed.</li> <li>H310 Fatal in contact with skin.</li> <li>H314 Causes severe skin burns and eye damage.</li> <li>H315 Causes skin irritation.</li> <li>H317 May cause an allergic skin reaction.</li> <li>H318 Causes serious eye damage.</li> <li>H330 Fatal if inhaled.</li> <li>H400 Very toxic to aquatic life.</li> <li>H410 Very toxic to aquatic life with long lasting effects.</li> </ul>
Version	3