SAFETY DATA SHEET Dalapro Habito Joint

The safety data sheet is in accordance with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH)

| .1. Product identifier Product name Dalapro Habito Joint of 32182 632182 .2. Relevant identified uses of the substance or mixture and uses advised against unction Description: Filler for indoor walls and ceilings .3. Details of the supplier of the safety data sheet Bompany name Saint Gobain Sweden AB BU Scanspac Verstal address Kemivägen 7 Postode S-705 97 Ottota Glanshammar Sountry Sweden eleephone number + 46 19 463400 imail ehs.scanspac@dalapro.com Attp://www.dalapro.com http://www.dalapro.com .4. Emergency telephone Telephone number: 112 Description: | ate issued | 06.12.2018 |
|---|--------------------------|---|
| Product name Dalapro Habito Joint Article no. 632182 2. Relevant identified uses of the substance or mixture and uses advised against Function Description: Filler for indoor walls and ceilings 3. Details of the supplier The safety data sheet Company name Saint Gobain Sweden AB BU Scanspac Office address Kemivägen 7 Postal address Kemivägen 7 Postoode S-705 97 Citty Glanshammar Country Sweden Pesterie +46 19 463400 elephone number ehs.scanspac@dalapro.com Attemergency telephone Telephone number: 112 Description:. | Revision date | 03.10.2022 |
| Article no. 632182 1.2. Relevant identified uses of the substance or mixture and uses advised against Function Description: Filler for indoor walls and ceilings 1.3. Details of the supplier of the safety data sheet Company name Saint Gobain Sweden AB BU Scanspac Office address Kemivägen 7 Postal address Kemivägen 7 Postcode S-705 97 City Glanshammar Country Sweden Telephone number + 46 19 463400 Email http://www.dalapro.com Metsite http://www.dalapro.com I.4. Emergency telephone Telephone number: 112 Emergency telephone Telephone number: 112 Description: Secription: | 1.1. Product identifier | |
| I.2. Relevant identified uses of the substance or mixture and uses advised against Function Description: Filler for indoor walls and ceilings I.3. Details of the supplier of the safety data sheet Company name Saint Gobain Sweden AB BU Scanspac Office address Office address Kemivägen 7 Postal address Kemivägen 7 Postcode S-705 97 City Glanshammar Country Sweden Telephone number + 46 19 463400 Email ehs.scanspac@dalapro.com Http://www.dalapro.com Http://www.dalapro.com I.4. Emergency telephone Telephone number: 112 Description: Telephone number: 112 Email Telephone number: 112 Description: Telephone: | Product name | Dalapro Habito Joint |
| I.3. Details of the supplier of the safety data sheetCompany nameSaint Gobain Sweden AB BU ScanspacOffice addressKemivägen 7Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephoneTelephone number: 112 Description: . | Article no. | 632182 |
| I.3. Details of the supplier of the safety data sheetCompany nameSaint Gobain Sweden AB BU ScanspacOffice addressKemivägen 7Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephoneTelephone number: 112 Description: . | 1.2. Relevant identified | l uses of the substance or mixture and uses advised against |
| Office addressKemivägen 7Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsiteittp://www.dalapro.comI.t.emergency telephone -umber: 112 | Function | Description: Filler for indoor walls and ceilings |
| Office addressKemivägen 7Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.com 1.4. Emergency telephone number Telephone number: 112 Description: . | 1.3. Details of the supp | olier of the safety data sheet |
| Postal addressKemivägen 7PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephone number: 112 Description: . | Company name | Saint Gobain Sweden AB BU Scanspac |
| PostcodeS-705 97CityGlanshammarCountrySwedenTelephone number+ 46 19 463400Emailehs.scanspac@dalapro.comWebsitehttp://www.dalapro.comI.4. Emergency telephone number: 112 Description: . | Office address | Kemivägen 7 |
| City Glanshammar Country Sweden Telephone number + 46 19 463400 Email ehs.scanspac@dalapro.com Website http://www.dalapro.com | Postal address | Kemivägen 7 |
| Country Sweden Telephone number + 46 19 463400 Email ehs.scanspac@dalapro.com Website http://www.dalapro.com | Postcode | S-705 97 |
| Telephone number + 46 19 463400 Email ehs.scanspac@dalapro.com Website http://www.dalapro.com I.4. Emergency telephone number Emergency telephone Telephone number: 112 Description: . Description: . | City | Glanshammar |
| Email ehs.scanspac@dalapro.com Website http://www.dalapro.com I.4. Emergency telephone mber Emergency telephone Telephone number: 112 Description: . | Country | Sweden |
| Website http://www.dalapro.com 1.4. Emergency telephone number Emergency telephone Telephone number: 112 Description: . | Telephone number | + 46 19 463400 |
| 1.4. Emergency telephone number Emergency telephone Telephone number: 112 Description: . | Email | ehs.scanspac@dalapro.com |
| Emergency telephone Telephone number: 112 Description: . | Website | http://www.dalapro.com |
| Description: | 1.4. Emergency teleph | one number |
| SECTION 2: Hazards identification | Emergency telephone | |
| | SECTION 2: Hazards | s identification |
| 2.1. Classification of the substance or mixture | | |

| Supplemental label information | EUH 208 Contains: 1,2-Benzisotiazol-3(2H)-on, Mix of 5-klor-2-metyl-2H-isotiazol-3-on [EG nr 247-500-7] and 2-metyl-2H-isotiazol-3-on |
|--------------------------------|--|
| | [EG nr 220-239-6], mix (3:1). May produce an allergic reaction. |

2.3. Other hazards

Other hazards

Grinding dust may irritate the eyes, skin and respiratory system

SECTION 3: Composition / information on ingredients

3.2. Mixtures

| Composition type | Mixture | | | |
|---|---|--|-----------|-------|
| Substance | Identification | Classification | Contents | Notes |
| 1,2-Benzisothiazolin-3-one | CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6 | Acute Tox. 4; H302 Skin Irrit. 2; H315 Eye Dam. 1; H318 Skin Sens. 1; H317; SCL H317: $C \ge 0,05 \%$ Aquatic Acute 1; H400; M-factor 1 | < 500 ppm | |
| Reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-on and 2-methyl-2H-isothiazol-3-one (3:1) | CAS No.: 55965-84-9 e Index No.: 613-167-00-5 | Acute Tox. 2; H330 Acute Tox. 2; H310 Acute Tox. 2; H310 Skin Corr. 1C; H314; SCL C \geq 0,6 % Eye Dam. 1; H318; SCL C \geq 0,6 % Skin Sens. 1A; H317; SCL C \geq 0,0015 % Aquatic Acute 1; H400; M-factor 100 Aquatic Chronic 1; H410; M-factor 100 | < 15 ppm | |

SECTION 4: First aid measures

| 4.1. Description of first aid measures | | |
|--|---|--|
| General | No recommendation given, but first aid may still be required in case of accidental exposure, inhalation or ingestion of this chemical. If in doubt, GET MEDICAL ATTENTION PROMPTLY! | |
| Inhalation | Fresh air and rest. | |
| Skin contact | Rinse with water. Contact physician if discomfort continues. | |
| Eye contact | Rinse with water. Contact physician if discomfort continues. Hold eyelids apart. Make sure to remove any contact lenses from the eyes before rinsing. | |
| Ingestion | Immediately rinse mouth and drink plenty of water. Keep person under observation. If person becomes uncomfortable seek hospital and bring these instructions. | |

4.2. Most important symptoms and effects, both acute and delayed

4.3. Indication of any immediate medical attention and special treatment needed

Medical treatment

Not entered.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use fire-extinguishing media appropriate for surrounding materials. This product is not flammable.

5.2. Special hazards arising from the substance or mixture

| E 9 | Adviso | for firefighters |
|-----|--------|------------------|
| | AUVICE | for menumers |
| | | |

| SECTION 6: Accidenta | I release measures |
|-----------------------------|--------------------|
|-----------------------------|--------------------|

| 6.1. Personal precautions, protective equipment and emergency procedures | | |
|--|---|--|
| General measures | Avoid release to the environment. Collect spillage. | |
| Personal protection measures | Wear protective clothing as described in Section 8 of this safety data sheet. | |

6.2. Environmental precautions

| Environmental precautionary | Prevent spillage entering a watercourse or sewer, contaminating soil or |
|-----------------------------|---|
| measures | vegetation. If this is not possible notify police and appropriate authorities |
| | immediately. |

6.3. Methods and material for containment and cleaning up

6.4. Reference to other sections

SECTION 7: Handling and storage

| 7.1. Precautions for safe handling | | |
|--|--|--|
| Handling | Avoid contact with eyes and prolonged skin contact. Use work methods which minimize dust production. | |
| 7.2. Conditions for safe sto | rage, including any incompatibilities | |
| Storage | Keep cool. Store above freezing. | |
| 7.3. Specific end use(s) | | |
| Recommendations | Do not handle until all safety precautions have been read and understood. | |
| SECTION 8: Exposure controls / personal protection | | |

SECTION 8: Exposure controls / personal protection

8.1. Control parameters

Control parameters comments

Data lacking. Not relevant.

Page 4 of 7

| 8.2. Exposure controls | |
|--|---|
| Precautionary measures to | prevent exposure |
| Instruction on measures to prevent exposure | Provide sufficient ventilation for operations causing dust formation. |
| Eye / face protection | |
| Suitable eye protection | Wear approved chemical safety goggles where eye exposure is reasonably probable. |
| Hand protection | |
| Skin- / hand protection, long term contact | For prolonged or repeated skin contact use suitable protective gloves. Neoprene, nitrile, polyethylene or PVC. |
| Respiratory protection | |
| Respiratory protection necessary at | In case of inadequate ventilation or risk of inhalation of dust, use suitable respiratory equipment with particle filter (type P2). |
| Hygiene / environmental | |
| Specific hygiene measures | Wash promptly if skin becomes wet. Use appropriate hand lotion to prevent defatting and cracking of skin. |

Appropriate environmental exposure control

Safety measures for consumer Read label before use. use of the chemical

SECTION 9: Physical and chemical properties

| 9.1. Information on basic physical and chemical properties | | |
|--|---|--|
| Physical state | Paste. | |
| Colour | Grå | |
| Odour | Characteristic. | |
| рН | Status: In delivery state Value: ~ 9 | |
| Freezing point | Value: < 0 °C | |
| Boiling point / boiling range | Value: > 100 °C | |
| Flash point | Value: > 100 °C | |
| Vapour pressure | Comments: No data recorded. | |
| Relative density | Value: ~ 1,75 | |
| Solubility | Comments: Miscible with water. | |

9.2. Other information

| SECTION 10: Stability and | nd reactivity | |
|--|--|--|
| 10.1. Reactivity | | |
| Reactivity | There are no known conditions that are likely to result in a hazardous situation. | |
| 10.2. Chemical stability | | |
| Stability | Stable under normal temperature conditions and recommended use. | |
| 10.3. Possibility of hazardo | ous reactions | |
| Possibility of hazardous reactions | No recommendation given. | |
| 10.4. Conditions to avoid | | |
| 10.5. Incompatible materia | ls | |
| Materials to avoid | No incompatible groups noted. | |
| 10.6. Hazardous decompos | sition products | |
| Hazardous decomposition products | Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. | |
| SECTION 11: Toxicologi | cal information | |
| 11.1. Information on hazard | d classes as defined in Regulation (EC) No 1272/2008 | |
| Other toxicological data | No known chronic or acute health risks. | |
| Other information regarding | g health hazards | |
| Assessment of skin corrosion / irritation, classification | Dust has an irritating effect on moist skin. | |
| Eye damage or irritation other information | Particles in the eyes may cause irritation and smarting. | |
| Respiratory sensitisation other information | Dust may irritate respiratory system. | |
| 11.2 Other information | | |
| Other information | Not relevant. | |
| SECTION 12: Ecological | information | |
| 12.1. Toxicity | | |
| Ecotoxicity | There are no data on the ecotoxicity of this product. | |

12.2. Persistence and degradability

Persistence and degradability No data recorded. description/evaluation

| 2.3. Bioaccumulative potential | | |
|--------------------------------|--|--|
| Bioaccumulation, comments | Bioaccumulation: Is not expected to be bioaccumulable. | |
| 2.4. Mobility in soil | | |
| Mobility | The product is insoluble in water. | |

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment

No data recorded.

12.6. Endocrine disrupting properties

12.7. Other adverse effects

SECTION 13: Disposal considerations

| 13.1. Waste treatment methods | | |
|-------------------------------|--|--|
| EWC waste code | EWC waste code: 080410 waste adhesives and sealants other than those mentioned in 08 04 09 | |
| Other information | When handling waste, consideration should be made to the safety precautions applying to handling of the product. | |

| SECTION 14 | Transport information |
|------------|-----------------------|
| | ransport information |

Dangerous goods

No

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations / legislation specific for the substance or mixture

Legislation and regulations

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of

18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/ 93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/ 769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments. The Aerosol Dispensers Regulations 2009 (SI 2824), with amendments. The List of Wastes (England) (Amendment) Regulations 2005. (SI 2005 No. 895). EH40/2005, Workplace exposure limits 2005, with amendments.

| 15.2. Chemical safety assessment | | | |
|---|---|--|--|
| Chemical safety assessment performed | Yes | | |
| SECTION 16: Other information | | | |
| Supplier's notes | The information on this data sheet represents our current data and is reliable provided that the product is used under the prescribed conditions and in accordance with the application specified on the packaging and/or in the technical guidance literature. Any other use of the product which involves using the product in combination with any other product or any other process is the responsibility of the user. | | |
| List of relevant H-phrases (Section 2 and 3) | H301 Toxic if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. | | |
| Version | 4 | | |