

Dalapro®

Powder fillers for repairs indoors and outdoors



Our latest addition Dalapro DM RepaFix is suitable for repairs both indoors and outdoors.
Dalapro DM 20/40/60 is for indoor use only.

Dalapro[®] DM

Our Dalapro DM range is suitable for walls and ceilings indoors, from fine smoothing to thick layers, and still get a fast drying time. Our powder fillers is suitable for drywall, concrete, bricks, blocks, and old wallpaper.

News!



Dalapro[®] DM RepaFix

Our latest addition to the DM range. Suitable for indoors and outdoors repairs, offers high strength and stiffness.

Dalapro DM RepaFix

White, easy mixed powder filler for indoors and outdoors use.

- Easy to mix
- Mixing time 2-4 min
- Nail and screw proof
- Easy to apply and easy to sand
- Binder: White cement
- Mixing ratio: 1.6 liter of water to 4 kg of powder
- Recommended layer thickness: 1-50 mm
- Packaging: 4 kg plastic bag, new packaging to ensure safer handling and transportation
- Meets CE – EN 998-1 requirements



Dalapro DM 20/40/60

White allround powder filler for most common substrates.

- Low shrinkage
- Suitable for renovation and newbuilds
- Binder: Polymer reinforced
- Mixing ratio: 1 part water, 2 parts powder
- Layer thickness: 1 -50 mm
- Filling capability: High, minimal shrinkage



Dalapro DM20

- Suitable for smaller repairs and filling, indoors only
- 20 minute pot-life
- CE 19963 approved
- Packaging: Paperbag 5 kg



Dalapro DM40

- Suitable for repairs, filling and smoothing, indoors only
- 40 minute pot-life
- CE 13963 approved
- Packaging: Paperbag 12.5 kg



Dalapro DM60

- Suitable for repairs, filling and smoothing, indoors only
- 60 minute pot-life
- CE 13963 approved
- Packaging: Paperbag 12.5 kg

