



Dalapro®


PRODUCT CATALOGUE

Ready-mixed filler, adhesives and accessories
2022



The **Dalapro Product Catalogue 2022** is now here, packed with sustainable filling products for both today's and tomorrow's homes and buildings. We hope that this catalogue will inspire and offer a little extra knowledge when you're choosing fillers, adhesives and tools – basically all those things you need to achieve a successful outcome on walls and ceilings indoors. Our aim is always to deliver the highest quality while at the same time protecting the environment. It includes climate-positive production, recycled packaging materials and sustainable filling products, manufactured with a high proportion of Swedish raw materials. This sees us driving the development of climate-smart surfaces and offering products that make it easy to assume responsibility for the work environment and the environmental impact.

Christian Hollsten
Business & Technical Support Manager



Dalapro®





DALAPRO ONLINE

Our website is where you can find product data sheets and other documentation that is often needed. You can calculate how much filler is needed and learn more about filler. Keep up to date with what's happening at Dalapro by subscribing to our newsletter and following us on Facebook, Instagram, YouTube and LinkedIn.

dalapro.com

 dalapro.se

 dalapro

 company/saint-gobain-sweden-ab-scanspac

 dalapro.com/youtube



SAINT-GOBAIN SWEDEN AB

Saint-Gobain Sweden AB is the company behind the brands Dalapro, Gyproc, ISOVER and Weber. The company is part of the French Saint-Gobain Group, which has around 190,000 employees.

CONTENTS

PAGE 4 - NEWS	PAGE 29 - BREPLASTA ROLLER FILLERS
PAGE 10 - FILLER COURSE	PAGE 30 - BREPLASTA SPRAY FILLERS
PAGE 11 - OUR ENVIRONMENTAL WORK	PAGE 31 - GUIDE, BREPLASTA
PAGE 12 - ECOLABELS	PAGE 32 - DALAPRO POWDER FILLERS
PAGE 15 - PRODUCT FAMILIES	PAGE 34 - DALAPRO ADHESIVES
PAGE 16 - GUIDE, DALAPRO	PAGE 35 - GUIDE, ADHESIVES
PAGE 18 - DALAPRO HAND FILLERS	PAGE 36 - ACCESSORIES
PAGE 19 - HAND FILLER, TIPS	PAGE 41 - TOOLS
PAGE 23 - DALAPRO ROLLER FILLERS	PAGE 45 - SYSTEMS WITH FILLERS, ACCESSORIES & TOOLS
PAGE 25 - DALAPRO SPRAY FILLERS	PAGE 46 - ORDER, SALES & TECHNICAL SUPPORT
PAGE 29 - BREPLASTA HAND FILLERS	

DALAPRO HAND FILLERS p. 18-22

DALAPRO NOVA
DALAPRO PREMIUM
DALAPRO MAX PLUS
DALAPRO MAX
DALAPRO JOINT
DALAPRO ROBUST
DALAPRO HYDRO
DALAPRO DESIGN WHITE MIX
DALAPRO DESIGN CONCRETE GREY
DALAPRO DESIGN CALM GREEN
DALAPRO WOOD FINISH
DALAPRO FACADE
DALAPRO HABITO JOINT
DALAPRO F
DALAPRO FINE
DALAPRO MEDIUM
DALAPRO MAGNETIC

DALAPRO ROLLER FILLERS p. 23-24

DALAPRO ROLL NOVA
DALAPRO ROLL PREMIUM
DALAPRO ROLL MAX PLUS
DALAPRO ROLL MAX
DALAPRO ROLL JOINT
DALAPRO ROLL HYDRO

DALAPRO SPRAY FILLERS p. 25-27

DALAPRO LIGHTNING NOVA
DALAPRO LIGHTNING PREMIUM
DALAPRO LIGHTNING MAX PLUS
DALAPRO LIGHTNING MAX
DALAPRO LIGHTNING JOINT
DALAPRO LIGHTNING ROBUST

DALAPRO AIRLESS HYDRO
DALAPRO LIGHTNING MEDIUM PLUS
DALAPRO LIGHTNING MEDIUM
DALAPRO AIRLESS NOVA
DALAPRO AIRLESS SPRAY
DALAPRO S
DALAPRO AIRLESS S
DALAPRO LIGHTNING FACADE

BREPLASTA HAND FILLERS p. 29

BREPLASTA MINERAL HAND
LEICHT
BREPLASTA FASSADEN HAND
LEICHT
BREPLASTA HAND FEIN

BREPLASTA ROLLER FILLER p. 29

BREPLASTA MINERAL ROLL LEICHT

BREPLASTA SPRAY FILLERS p. 30

BREPLASTA MINERAL SPRITZ
LEICHT
BREPLASTA SPRITZ GROB
BREPLASTA SPRITZ FEIN

DALAPRO POWDER FILLERS p. 32-33

DALAPRO DM20
DALAPRO DM40
DALAPRO DM60
DALAPRO DM REPAFIX

DALAPRO ADEHSIVES p. 34-35

DALAPRO ALLROUND ADHESIVE

DALAPRO EXTRA ADHESIVE
DALAPRO HYDRO ADHESIVE
DALAPRO WALLPAPER ADHESIVE

ACCESSORIES p. 36-40

HABITO OUTSIDE 90
HABITO FLEX 83
AQUABEAD OUTSIDE 90
AQUABEAD FLEX PRO
LEVELLINE FLEX
MARCO JOINT TAPE
FIBAFUSE
PLASTERBOARD PATCHES
DALATEX
DALAPRO FLEX
DALAPRO DESIGN TOPCOAT

TOOLS p. 41-43

SPEED SMOOTHER
SPEED SMOOTHER REP. BLADES
EXTENSION POLE
ADJUSTMENT ADAPTER
STANDARD KNIVES
HEAVY DUTY
TRIANGLE
HALF MOON
MULTI-TOOL
PAPER TAPE HOLDER
DOUBLE BARREL HOPPER
OUTSIDE 90 ROLLER
INSIDE 90 ROLLER
EXTENSION SHAFT
ADAPTER
SPEED MAX ROLLER
SPEED MAX REFILL

NEWS

DISCOVER DALAPRO ROBUST – THE FILLER THAT LASTS LONGER

Sometimes a wall has to withstand heavy wear, over a long time. Discover Dalapro Robust – a grey, ready-mixed hand filler that offers extra hardness and durability. Robust is a smart, cost-efficient choice for those who don't want to be renovating as frequently. Suitable for all substrates and ideal in public environments.



Dalapro®
Sustainable surfaces

NEWS

FibaFuse

– strong glass fibre joint tape

FibaFuse is a glass fibre tape specially developed to provide strong reinforcement for board joints and cracks in walls and ceilings. FibaFuse is lighter and above all thinner than standard quality paper tape. The tape is easy to cut and work with, and it retains its folds when inserted in inside corners, for example.


The porous design, which allows the filler to penetrate through the tape, eliminates any pinholes during application. The thin structure also means less risk of creating a raised joint, thus minimising the risk of visible joints in raking light.



Dalapro Hydro is Nordic Ecolabelled

Our new wet room products for application by hand have now passed the tough tests to be awarded the Nordic Ecolabel. We also have EPD-labelled products and switched to eco-buckets.

This will be launched during the spring.



New, environment-friendly plastic buckets



As a natural and obvious element of our sustainability work, we have developed new buckets, manufactured in a material that consists of at least 90% recycled plastic. The buckets mean a significantly reduced carbon footprint from raw material to factory – about half compared with the previous bucket material. The new material is also completely recyclable.



Create unique walls with **Dalapro® Design**

Dalapro® Design is ready-mixed in two colours drawn from nature's very own colour scale and in white. The white filler can be blended to produce any shade in your paint shop. It can also be used just as it is if you want a white surface.



Creative walls with a concrete feel

Dalapro Design is specially produced for those who want to create unique walls with a concrete feel. Using one single product, you give a wall both character and colour. The only limit is your imagination. Dalapro Design is suitable for most substrates indoors, for example painted fabric, plastered surfaces, plaster and concrete walls or uneven walls that need freshening up. The outcome is a concrete-like surface with colour variations.

You apply Dalapro Design by hand. Once you have sealed the surface with Dalapro Design Top Coat, it is resistant to spills and scratches and is easy to keep clean.



Check out the instructional video on YouTube. Read more about the products on our website or in the brochure. The brochure can be downloaded as a pdf and can also be ordered by sending an email to info@dalapro.com.

Contact our technicians for instructions on how to create your own shade or if you want us to show you step by step how to produce a designer wall.





Perfect finish

Speed Smoother & professional tools

Optimise your filling work with high-quality special tools. The Speed Smoother is an ergonomically shaped broad smoother with an easy-grip handle for applying filler to ceilings and walls. Hand-held or used together with an extension pole and adapter. The blades are easy to replace when they are worn or damaged.

The range also include five special tools, also developed specially for the professional user. Convenient, user-friendly tools of high quality. The hammer head is made of solid cast chrome alloy steel with aluminium.



Nice & Smooth – a book about filler and finishing

This is a book for anyone who wants to acquire more in-depth knowledge of filler and how it is used. You will find a look back at its history, knowledge of what filler contains and how it is manufactured. But most of all, it is a manual that provides you with knowledge of what demands you must make of the product, how to work with filler, different application methods and important points to bear in mind to achieve a really good end result.

Talk to your salesperson or technician if you'd like a copy of the book.





FILLER COURSE

Take our micro-course on the art of applying filler. The course takes about 30 minutes to complete, and you can use your mobile, tablet or computer. You can do the course at your own pace and take breaks whenever you want.

Once you have completed the course and answered at least 75% of the questions correctly, you receive a fine Certificate.

Find out more on our website:

dalapro.com



OUR ENVIRONMENTAL WORK

Dalapro offers sustainable filling products for today's and tomorrow's homes and buildings. With a high proportion of Swedish raw materials, climate-positive production and recycled packaging materials, we are driving the development of climate-smart surfaces. Our products make it easy to assume responsibility for the work environment, filler quality and environmental impact.

The construction and civil engineering industry accounts for one fifth of the country's climate impact. Sweden aims to be fossil-free by 2045, and even from 2022 there are new climate declaration requirements for buildings.

At the same time, more and more directives are being issued regarding fossil road maps, stricter requirements for sustainable material solutions and increased demand for information about the content and environmental impact of products.

Dalapro works on environmental improvements throughout the product's life cycle, from raw material to waste management. We offer leading surface solutions from Swedish raw materials and climate-positive production. Our goal is a climate-positive production process throughout the value chain.

Sustainable buckets

Packaging accounts for a large proportion of a product's environmental impact. This is why we are gradually replacing our buckets with more environment-friendly buckets. Dalapro's new buckets consist of 100% recyclable material, are made of at least 90% recycled plastic and generate 56% less carbon dioxide emissions from raw material to factory – without compromising on the excellent product properties.

Climate-positive production

Dalapro's ready-mixed filler products are manufactured in climate-positive factories in Glanshammar and Sala. We have achieved this by phasing out all fossil fuels and vehicles from our factories. We have also installed a large solar panel system that supplies green electricity to both production and the community. This means that our impact from the factories is below zero and we are producing climate benefit!

A good work environment

Dalapro's products and tools are produced with a strong focus on a safe, secure and pleasant work environment for the user. We were the first to launch a light filler (1981), a spray filler for a light paint spray (1990) and a roller filler (2011). We have followed up on this trend with innovative solutions in terms of function and user-friendliness, in both products and packaging. There are safety data sheets for all our products. This makes it easy to do a good job in a healthy, toxin-free work environment – while contributing to increased sustainability at the same time.



ECOLABELS

Dalapro works with its own, unique ecolabels in combination with other accepted labels.

Our own ecolabels



Dalapro's new buckets consist of 100% recyclable material, are made of at least 90% recycled plastic and generate 56% less carbon dioxide emissions from raw material to factory. This label has been developed for Dalapro.



Dalapro's ready-mixed filler products are manufactured in climate-positive factories in Glanshammar and Sala. We have phased out all fossil fuels and installed a large solar panel system that supplies green electricity to both us and the community.



Through its choices of materials and products, Dalapro gives you, the customer, the opportunity to make climate-smart choices. For example through our 15-litre sacks, with packaging that has 40% less climate impact than a standard bucket of the same size.


Other ecolabels



The Nordic Ecolabel is the Nordic region's official ecolabel, which is managed in Sweden by Miljömärkning Sverige AB on behalf of the government. They examine the environmental impact of goods and services throughout their life cycle, from raw material to waste, and set requirements for function and quality.



This environmental declaration, also known as EPD or Environmental Product Declaration, describes the construction product's environmental impact in parts or all of its life cycle.



Emission class for building material (M1). The purpose of this classification is to improve the development and use of building materials that do not increase the ventilation requirements.

Updated ecolabels on packaging



- ← Nordic Ecolabelled
- ← Environmental Product Declaration (EPD)
- ← Emission class for building material (M1)
- ← Climate-positive production
- ← Recyclable packaging



SWEDISH QUALITY FILLER

The Dalapro brand is owned by Saint-Gobain Sweden AB, Scanspac. For more than 50 years, we have been developing filler in close collaboration with professional decorators. Scanspac leads the development of filler in Europe, and we work continuously on innovative solutions for the surface treatment of walls and ceilings.

What all our products have in common is the high, consistent quality that produces the best possible results. We have a wide range of products and systems for all purposes. Our ready-mixed filler products are produced in Sala and Glanshammar.

We work continuously and systematically to ensure that all parts of our business, from deliveries of raw materials to deliveries of products and services to customers, shall maintain the highest possible quality, offer the best possible work environment and have the least possible environmental impact.



PRODUCT FAMILIES

FIND THE RIGHT FILLER

Allround, low shrinkage, wet room or joint filler? Our most popular products are available in many different packaging solutions and as hand, roller and spray filler.



DALAPRO NOVA

Classic, grey allround filler that is easy to work with.

Our top seller!



DALAPRO PREMIUM

White allround filler, ideal when the finish is particularly important. Light and with good filling capability. White filler provides a good base when you want to paint over it in bright colours.



DALAPRO MAX PLUS

Grey, low shrinkage filler for pre-filling and fine smoothing. Easy to sand. New recipe provides minimal risk of pinholes on non-absorbent substrates and reduces dust when sanding. Suitable to paint immediately.



DALAPRO JOINT

Impact-resistant, hard-wearing filler with adhesive effect for corner beads and joints. Used together with tape and corner beads and corner tools.



DALAPRO ROBUST

Grey, ready-mixed hand filler with extra durability.



DALAPRO HYDRO

Wet room filler that produces a tough, water-repellent surface. Hand products will be Ecolabelled in spring 2022.



Hand filler



















Roller filler



Spray filler

















HELP TO FIND THE RIGHT FILLER

- Good choice
- For the best results

	Dalapro® Nova	Dalapro® Premium	Dalapro® Max Plus	Dalapro® Joint	Dalapro® Robust	Dalapro® Hydro	Dalapro® Lightning Medium Plus	Dalapro® Airless Nova	Dalapro® Airless Spray
									
									
Ready-mixed filler	●	●	●	●	●	●	●	●	●
Powder filler									
Adhesive									
Sealant									
For plasterboard	●	●	●	●	●	●	●	●	●
For concrete	●	●	●	●	●	●	●	●	●
For fabric and wallpaper	●	●	●		●		●	●	●
Joinery									
Wet rooms						●			
Surfaces outdoors									
Corner bead and joint	●	●		●	●	●	●	●	
Approved for paper tape	●	●		●	●	●	●	●	
Repair filler			●						
Low shrinkage		●	●						
White		●						●	●
Grey	●		●	●	●		●		
Nordic Ecolabelled	●	●	●	●			●	●	●
Hand	●	●	●	●	●	●			
Roller	●	●	●	●		●			
Spray	●	●	●	●	●	●	●	●	●

Choosing the right filler based on the substrate and desired outcome can produce major benefits in the form of time, ergonomics and costs. Compared with hand filling, roller filling offers a time saving of

40 per cent and spray filling more than 50 per cent. Both filling and sanding processes are faster, as it is much easier to sand a completely filled surface evenly.

Dalapro® S	Dalapro® Design	Dalapro® Wood Finish	Dalapro® Facade	Dalapro® Habito Joint	Dalapro® DM	Dalapro® DM RepaFix	Dalapro® Allround Adhesive	Dalapro® Extra Adhesive	Dalapro® Hydro Adhesive	Dalapro® Wallpaper Adhesive	Dalapro® Flex
											
											
●	●	●	●	●							
					●	●					
							●	●	●	●	
											●
●	●			●	●	●	●	●	●	●	●
●	●		●	●	●	●	●	●	●	●	●
●	●				●		●	●	●	●	●
		●									●
									●		
			●			●					
				●	●						
				●	●						
			●		●	●					
					●	●					
●	●	●			●	●	●	●	●		●
	●		●	●							
				●			●	●		●	
	●	●	●	●	●	●	●	●	●	●	●
							●	●	●	●	
●							●	●	●	●	

DALAPRO HAND FILLERS

Hand filling is a classic method when working on smaller areas. Dalapro offers a wide range of hand fillers that are suitable for different kinds of substrates and environments, both indoors and outdoors.



DALAPRO NOVA Grey allround filler

A grey, Nordic Ecolabelled, allround hand filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Tube	0.2 L	Article no. 611023
Tube	0.4 L	Article no. 611019
Can	0.5 L	Article no. 611017
Bucket	3 L	Article no. 611016
Bucket	10 L	Article no. 611004



DALAPRO PREMIUM White allround filler

A white, Nordic Ecolabelled, allround hand filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Unique formula gives the product a high filling capability. White filler is a good substrate if you are going to paint in bright colours. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket	3 L	Article no. 611188
Bucket	10 L	Article no. 611180



DALAPRO MAX PLUS Extra low shrinkage filler

A grey, Nordic Ecolabelled hand filler with extra high filling capability. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Like the other products, Dalapro Max Plus produces a surface that can be painted on immediately. The product is designed to reduce the volume of airborne dust and minimise pinholes in non-absorbent substrates, such as painted fabric. Meets CE marking requirements in accordance with EN 15824.

Bucket	3 L	Article no. 614132
Bucket	10 L	Article no. 614134



DALAPRO MAX Low shrinkage filler

A grey, Nordic Ecolabelled hand filler with high filling capability. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Like the other products, Dalapro Max produces a surface that can be painted on immediately. Meets CE marking requirements in accordance with EN 15824.

Bucket	3 L	Article no. 614121
Bucket	10 L	Article no. 614129



For the best results...

1


Select a filler based on the substrate and method. Don't forget to check the substrate before you start applying the filler.

2

Choose the right tool and equipment for the job. Don't forget to use protective equipment at all times when sanding.

3

Always follow the manufacturer's instructions.





DALAPRO JOINT

Joint filler

A light grey, Nordic Ecolabelled hand filler specially adapted for plasterboard joints and corner beads. The filler's unique properties provide the best strengthening of the tape and corner bead, creating strong, impact-resistant and neat corners. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 3 L

Article no. 632173

Bucket 10 L

Article no. 632114



DALAPRO ROBUST

Filler for an extra hard-wearing surface

A grey hand filler specifically developed for fine smoothing when a more hard-wearing surface is required, e.g. in schools, hospitals, corridors and stairwells. Approved for embedding paper tape. The product is also suitable for the adhesion of corner beads. Meets CE marking requirements in accordance with EN 13963.

Bucket 10 L

Article no. 115605004



DALAPRO HYDRO

Wet room filler

A blue, Nordic Ecolabelled hand filler especially for wet rooms. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. The filler produces a hard, water-repellent surface and can also be used when you want to achieve a particularly hard-wearing surface, for example in public premises. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Tube 0.4 L

Article no. 613222 (formerly 613205)

Bucket 3 L

Article no. 613221 (formerly 613120)

Bucket 10 L

Article no. 613220 (formerly 613140)



DALAPRO DESIGN WHITE MIX

White, tintable design filler

A white filler that is easy to work with and produces a concrete-like surface. Use the filler as a white wall reviver or as a primer to tint with any other shade to produce a wall with colour variations. Ideal on previously painted or wallpapered walls, suitable for both renovation and new construction. Round off with Dalapro Design TopCoat to provide a protective layer. Meets CE marking requirements in accordance with EN 15824.

Bucket 9 L

Article no. 116805004



DALAPRO DESIGN CONCRETE GREY

Coloured, grey design filler

A grey filler that is easy to work with and produces a concrete-like surface with colour variations. The filler is ready-mixed and can be used immediately. Ideal on previously painted or wallpapered walls, suitable for both renovation and new construction. Round off with Dalapro Design TopCoat to provide a protective layer. Meets CE marking requirements in accordance with EN 15824.

Bucket 9 L

Article no. 116815104





DALAPRO DESIGN CALM GREEN

Coloured, green design filler

A green filler that is easy to work with and produces a concrete-like surface with colour variations. The filler is ready-mixed and can be used immediately. Ideal on previously painted or wallpapered walls, suitable for both renovation and new construction. Round off with Dalapro Design TopCoat to provide a protective layer. Meets CE marking requirements in accordance with EN 15824.

Bucket 9 L

Article no. 116815204



DALAPRO WOOD FINISH

Wood filler

A white, extra fine-grade hand filler especially for joinery. Used when applying filler to frames, doors, hatches and similar surfaces indoors. The filler provides good adhesion, filling capability and strength. The filled surface forms an excellent base coat for woodwork and gloss paints. Meets CE marking requirements in accordance with EN 15824.

Tube 0.2 L

Article no. 633266

Tube 0.4 L

Article no. 633265

Can 0.5 L

Article no. 633103

Bucket 3 L

Article no. 633138



DALAPRO FACADE

Outdoor filler

A grey hand filler for minor repairs outdoors or indoors on mineral substrates. The product is suitable for both pre-filling and fine smoothing. Meets CE marking requirements in accordance with EN 15824.

Bucket 3 L

Article no. 613142

Bucket 10 L

Article no. 613141



DALAPRO HABITO JOINT

Filler for Habito plasterboard

A grey, Nordic Ecolabelled hand filler specially adapted for joint filling with paper tape on Habito plasterboard. Recommended for preschools, schools, hospitals and homes where there is a need for a particularly tough, impact-resistant surface. Can also be used on plasterboard where there is a need for a hard surface. The product is also suitable for the adhesion of corner beads. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 10 L

Article no. 632182



DALAPRO F

Fine-grained filler

A white, fine-grained hand filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Meets CE marking requirements in accordance with EN 15824.

Bucket 10 L

Article no. 632112





DALAPRO FINE

Extra fine-grained filler

A white, extra fine-grained hand filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Meets CE marking requirements in accordance with EN 15824.

Tube	0.4 L	Article no. 612187
Bucket	3 L	Article no. 612108
Bucket	10 L	Article no. 612120



DALAPRO MEDIUM

Grey allround filler

A grey, allround hand filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Approved for embedding paper tape. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket	3 L	Article no. 611136
Bucket	10 L	Article no. 611127



DALAPRO MAGNETIC

Filler with a magnetic effect

A black, Nordic Ecolabelled hand filler that provides a magnetic effect. Perfect for creating your own bulletin board at home, at the office or in other public areas. Dalapro Magnetic is suitable for drywall and concrete in renovation and in new construction. Meets CE marking requirements in accordance with EN 15824.

Bucket	10 L	Article no. 637111
--------	------	--------------------



DALAPRO ROLLER FILLERS

Our Dalapro Roll range comprises fillers developed for roller application. A roller allows you to work both faster and more ergonomically – and of course we have roller fillers adapted for different surfaces with associated special rollers.



DALAPRO ROLL NOVA

Grey allround filler

A grey, Nordic Ecolabelled, allround roller filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 12 L

Article no. 610205



DALAPRO ROLL PREMIUM

White allround filler

A white, Nordic Ecolabelled roller filler. An allround filler suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Unique formula gives the product a high filling capability. White filler is a good substrate if you are going to paint in bright colours. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 12 L

Article no. 610128



DALAPRO ROLL MAX PLUS

Extra low shrinkage filler

A grey, Nordic Ecolabelled roller filler with extra high filling capability. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Like the other products, Dalapro Roll Max Plus produces a surface that can be painted on immediately. The product is designed to reduce the volume of airborne dust and minimise pinholes in non-absorbent substrates, such as painted fabric. Meets CE marking requirements in accordance with EN 15824.

Bucket 12 L

Article no. 610254



DALAPRO ROLL MAX

Low shrinkage filler

A grey, Nordic Ecolabelled roller filler with high filling capability. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Like the other products, Dalapro Roll Max produces a surface that can be painted on immediately. Meets CE marking requirements in accordance with EN 15824.

Bucket 12 L

Article no. 610204





DALAPRO ROLL JOINT

Joint filler

A light grey, Nordic Ecolabelled roller filler specially adapted for plasterboard joints and corner beads. The filler's unique properties provide the best reinforcement for the tape and corner bead, creating strong, neat corners. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 12 L

Article no. 610237



DALAPRO ROLL HYDRO

Wet room filler

A blue roller filler especially for wet rooms. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. The filler produces a hard, water-repellent surface and can also be used when you want to achieve a particularly hard-wearing surface, e.g. in public premises. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 12 L

Article no. 610194

ROLLER FILLER – SAVES TIME, YOUR BACK AND MONEY

Roller application is a smart method. It is much faster than traditional application and it is also more ergonomic for the person doing the job.

FASTER – GIVES YOU MORE TIME FOR OTHER THINGS

Studies show that roller application takes 30–40 per cent less time compared with traditional application.

SMARTER

Roller filler reduces wear on the body and leaves more energy for both work and leisure. You quite simply work smarter.

ENVIRONMENT-FRIENDLY

Almost all roller fillers from Dalapro are Nordic Ecolabelled.



DALAPRO SPRAY FILLERS

For bigger surfaces, spray application is a fast, ergonomic and profitable method. Whether you use a high-pressure filler spray or a high-pressure screw spray, we have a wide range of spray fillers – in sacks or buckets.



DALAPRO LIGHTNING NOVA

Grey allround filler

A grey, Nordic Ecolabelled, allround spray filler. Suitable for wall and ceiling surfaces indoors, for renovation and new construction. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket	15 L	Article no. 610206
Bag	15 L	Article no. 610207



DALAPRO LIGHTNING PREMIUM

White allround filler

A white, Nordic Ecolabelled spray filler for allround use. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Approved for embedding paper tape. Unique formula gives the product a high filling capability. White filler is a good substrate if you are going to paint in bright colours. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket	15 L	Article no. 610177
Bag	15 L	Article no. 610176



DALAPRO LIGHTNING MAX PLUS

Extra low shrinkage filler

A grey, Nordic Ecolabelled spray filler with extra high filling capability. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Like the other products, Dalapro Lightning Max Plus produces a surface that can be painted on immediately. The product is designed to reduce the volume of airborne dust and minimise pinholes in non-absorbent substrates, such as painted fabric. Meets CE marking requirements in accordance with EN 15824.

Bucket	15 L	Article no. 610253
Bag	15 L	Article no. 610255



DALAPRO LIGHTNING MAX

Low shrinkage filler

A grey, Nordic Ecolabelled spray filler with high filling capability. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Like the other products, Dalapro Lightning Max produces a surface that can be painted on immediately. Meets CE marking requirements in accordance with EN 15824.

Bucket	15 L	Article no. 610110
Bag	15 L	Article no. 610156





DALAPRO LIGHTNING JOINT

Joint filler

A light grey, Nordic Ecolabelled spray filler specially adapted for plasterboard joints and corner beads. The filler's unique properties provide the best reinforcement of the tape and corner bead, creating strong, neat corners. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 15 L
Bag 15 L

Article no. 610236
Article no. 610235



DALAPRO LIGHTNING ROBUST

Filler for extra hard-wearing surface

A grey spray filler specifically developed for fine smoothing when a more hard-wearing surface is required, e.g. in schools, hospitals, corridors and stairwells. Approved for embedding paper tape. The product is also suitable for the adhesion of corner beads. Meets CE marking requirements in accordance with EN 13963.

Bag 15 L

Article no. 115705015



DALAPRO AIRLESS HYDRO

Wet room filler

A blue spray filler especially for wet rooms. The filler is suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Produces a hard, water-repellent surface and can also be used when you want to achieve a particularly hard-wearing surface, for example in public premises. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bag 15 L

Article no. 630103



DALAPRO LIGHTNING MEDIUM PLUS

Allround spray filler

A grey, Nordic Ecolabelled, allround spray filler. Suitable for wall and ceiling surfaces indoors, for renovation and new construction. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bag 15 L

Article no. 116705015



DALAPRO LIGHTNING MEDIUM

Allround spray filler

A grey, allround spray filler. Suitable for wall and ceiling surfaces indoors, for renovation and new construction. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 15 L
Bag 15 L

Article no. 111705001
Article no. 111705015



DALAPRO AIRLESS NOVA

New construction filler

A white, Nordic Ecolabelled spray filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Suitable for thin smoothing and texturing. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bag 15 L

Article no. 610216



DALAPRO AIRLESS SPRAY

New construction filler

A white, Nordic Ecolabelled spray filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Suitable for thin smoothing and texturing. Meets CE marking requirements in accordance with EN 15824.

Bag 15 L

Article no. 630139



DALAPRO S

New construction filler

A white spray filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Suitable for thin smoothing and texturing. Meets CE marking requirements in accordance with EN 15824.

Bag 15 L

Article no. 630101



DALAPRO AIRLESS S

Filler for new construction

A white spray filler. Suitable for wall and ceiling surfaces indoors, for renovation and new construction. Suitable for thin smoothing and texturing. Meets CE marking requirements in accordance with EN 15824.

Bucket 15 L

Article no. 630141

Bag 15 L

Article no. 630140



DALAPRO LIGHTNING FACADE

Outdoor filler

A grey spray filler for minor repairs outdoors or indoors on mineral substrates. The product is suitable for pre-filling, joints and fine smoothing. Meets CE marking requirements in accordance with EN 15824.

Bag 15 L

Article no. 115505015



Breplasta®

– Ready-mixed filler for a fast and effective end result

Breplasta is the natural option when you have to make the move from powder filler to ready-mixed products.

FILLER FOR PROFESSIONALS!

Breplasta is available as hand, roller and spray filler. For walls and ceilings indoors. The products provide good adhesion to substrates and produce a premium surface finish after sanding.



BREPLASTA HAND FILLERS

Hand filling is a classic method when working on smaller areas. Breplasta offers a basic range of hand fillers that are suitable for different kinds of substrates and environments, both indoors and outdoors.



BREPLASTA MINERAL HANDSPACHTEL LEICHT

White, lightweight allround filler

A white, allround hand filler. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. High filling capacity. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 10 L

Article no. 112201204



BREPLASTA FASSADEN HANDSPACHTEL LEICHT

Grey lightweight filler

A grey, lightweight hand filler for minor repairs outdoors or indoors on mineral substrates. The product is suitable for pre-filling, joints and fine smoothing. Meets CE marking requirements in accordance with EN 15824.

Bucket 10 L

Article no. 613203



BREPLASTA HANDSPACHTEL FEIN

Fine-grained filler

A white, fine-grained hand filler that is easy to work with, based on finely crushed Swedish dolomite marble. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Meets CE marking requirements in accordance with EN 15824.

Bucket 18 kg

Article no. 101201204

BREPLASTA ROLLER FILLER

Our Breplasta Roll range comprises a filler developed for roller application. A roller allows you to work both faster and more ergonomically.



BREPLASTA MINERAL ROLLSPACHTEL LEICHT

White, lightweight allround filler

A white roller filler. An allround filler suitable for wall and ceiling surfaces indoors, for both renovation and new construction. High filling capacity. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket 12 L

Article no. 610250

BREPLASTA SPRAY FILLERS

For bigger surfaces, spray application is a fast, ergonomic and profitable method. Use a high-pressure filler spray or a high-pressure screw spray and choose a product in sacks or buckets.



BREPLASTA MINERAL SPRITZSPACHTEL LEICHT

White allround filler

A white spray filler for allround use. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Approved for embedding paper tape. High filling capacity. Approved for embedding paper tape. Meets CE marking requirements in accordance with EN 13963.

Bucket	15 L	Article no. 111801201
Bag	15 L	Article no. 111801215



BREPLASTA SPRITZSPACHTEL GROB

Low shrinkage filler

A white spray filler with high filling capability based on finely crushed Swedish dolomite marble. Suitable for wall and ceiling surfaces indoors, for both renovation and new construction. Meets CE marking requirements in accordance with EN 15824.

Bucket	25 kg	Article no. 100401201
Bag	25 kg	Article no. 100401215



BREPLASTA SPRITZSPACHTEL FEIN

New construction filler

A white spray filler for new production and renovation based on finely crushed Swedish dolomite marble. Suitable for wall and ceiling surfaces indoors. Suitable for thin smoothing and texturing. Meets CE marking requirements in accordance with EN 15824.

Bucket	25 kg	Article no. 100601201
Bag	25 kg	Article no. 100601215

Breplasta®

● Good choice

● For the best results

Breplasta® Hand/Leicht Breplasta® Hand/Fassaden Breplasta® Hand/Fein Breplasta® Roll/Leicht Breplasta® Spritz/Leicht Breplasta® Spritz/Grob Breplasta® Spritz/Fine



Ready-mixed filler	●	●	●	●	●	●	●
For plasterboard	●		●	●	●	●	●
For concrete	●	●	●	●	●	●	●
For fabric and wallpaper	●		●	●	●	●	●
Surfaces outdoors		●					
Approved for paper tape	●			●	●		
Repair filler	●	●		●	●		
Low shrinkage		●				●	
White	●		●	●	●	●	●
Grey		●					
Hand	●	●	●				
Roller				●			
Spray					●	●	●

DALAPRO POWDER FILLERS

Powder filler can be effective if you have large cavities to fill or if you are working on a project with time pressure and need to apply filler several times the same day.



DALAPRO DM20

Quick filler

A white powder filler for quick repairs. The powder is gypsum-based and easy to mix into a smooth consistency and has a short open time of approximately 20 minutes. Suitable for wall and ceiling surfaces indoors, for both renovation and new production. The product is stable, with minimal sinking and does not crack. Meets CE marking requirements in accordance with EN 13963.

Bag 5 kg Article no. 620612



DALAPRO DM40

Repair filler

A white powder filler. The powder is gypsum-based and easy to mix into a smooth consistency and has an open time of approximately 40 minutes. Suitable for wall and ceiling surfaces indoors, for both renovation and new production. The product is stable, with minimal sinking and does not crack. Meets CE marking requirements in accordance with EN 13963.

Bag 12.5 kg Article no. 620626



DALAPRO DM60

Multifunctional filler

A white powder filler for use when a longer open time is required. The powder is gypsum-based and is very easy to mix into a smooth consistency. The product has an open time of approximately 60 minutes. Suitable for wall and ceiling surfaces indoors, for both renovation and new production. The product is stable, with minimal sinking and does not crack. Meets CE marking requirements in accordance with EN 13963.

Bag 12.5 kg Article no. 620610



DALAPRO DM REPAFIX

Indoor and outdoor filler

A white powder filler that is easy to work with, for indoor and outdoor use. The powder is cement-based and is very easy to mix. The product has an open time of approximately 60 minutes. Suitable for wall and ceiling surfaces, for both renovation and new production. The product is stable, with minimal sinking and does not crack. Suitable for nailing and drilling. Meets the CE marking requirements in accordance with EN 998-1.

Bag 4 kg Article no. 620635

Powder + Patch = First Aid

Repair holes in plaster walls with
plasterboard patches and power filler.

Smaller holes can be repaired with
just powder filler.



DALAPRO ADHESIVES

When you have to hang wallpaper, it is of course important to have an adhesive that is suitable for the material. Our range includes four adhesive products of professional quality, which contribute to both a smooth job and a perfect end result.



DALAPRO ALLROUND ADHESIVE

Allround wall adhesive

A white, Nordic Ecolabelled, allround wall adhesive. A water-based starch adhesive for mounting paper and non-woven wallpaper, as well as finely textured glass fibre and CP fabrics. Suitable for most substrates in new construction and renovation indoors.

Bucket 5 L
Bucket 12 L

Article no. 636141
Article no. 636140



DALAPRO EXTRA ADHESIVE

Extra strong wall adhesive

A white, Nordic Ecolabelled wall adhesive with extra strong adhesion. A water-based starch adhesive for mounting fibreglass fabric, Hessian, textile structure and vinyl wallpaper with a paper reverse side. Suitable for most substrates in new construction and renovation. As the adhesive is extra strong, it is ideal when you have thicker fabric or wallpaper to attach to a non-absorbent substrate, for example.

Bucket 5 L
Bucket 12 L

Article no. 636147
Article no. 636146



DALAPRO HYDRO ADHESIVE

Wall adhesive for wet rooms

A white, water-based starch adhesive for wet rooms. For mounting woven glass fibre, vinyl wallpapers with polyester glass fibre or fabric reverse side up to 0.6 mm. Suitable for most substrates in new construction and renovation indoors.

Bucket 5 L
Bucket 12 L

Article no. 636143
Article no. 636142



DALAPRO WALLPAPER ADHESIVE

Wall adhesive for paper wallpapers

A transparent, Nordic Ecolabelled wall adhesive of professional quality. A water-based starch adhesive for mounting paper wallpaper and wallpaper made of acrylic or vinyl with a paper reverse side. Suitable for most substrates in new construction and renovation indoors.








Bucket 5 L
Bucket 12 L

Article no. 636145
Article no. 636144



CHOOSE THE RIGHT ADHESIVE

Our easy-to-use adhesive products have been produced with a focus on user-friendliness and a perfect end result with smooth surfaces!

	Dalapro® Allround Adhesive	Dalapro® Extra Adhesive	Dalapro® Hydro Adhesive	Dalapro® Wallpaper Adhesive
				
				
Wallpapers	●		●	●
Fibreglass fabric	●	●	●	
Fibreglass-free fabric	●	●	●	
Textile	●	●	●	
Paper	●		●	●
Vinyl wallpapers		●		
Wet rooms			●	
Extra strong		●	●	
White	●	●	●	
Transparent				●
Nordic Ecolabelled	●	●		●

- Easy to apply.
- Free-flowing and durable.
- 1 litre will cover 4-6 sq.m.



WORK SMARTER

Optimise your work with our accessories and tools. Use corner beads, joint tape and special tools to make the job both smoother and more enjoyable. And easier to achieve a really good end result.

ACCESSORIES

Smart accessories make it so much easier to achieve a really good end result. We'd also make so bold as to promise that the job will also be much more enjoyable to perform. We've brought together accessories here that you won't want to be without.



HABITO OUTSIDE 90

Corner bead for 90-degree outside corners

A corner bead that is embedded in filler on 90-degree outside corners. Suitable on plaster, concrete, fabric and painted surfaces. The corner bead is made of a co-polymer core that is embedded in paper, making the bead very strong and resilient to cracks and wear. It is stable and is not affected by temperature or humidity variations. The front and rear sides have densely fibred special paper designed to provide the best adhesion to filler. For the best results, mount the bead in Dalapro Joint and apply a final layer of Dalapro Nova, and use corner tools when installing.

Length: 2.5 m

Article no. 642174

Length: 2.7 m

Article no. 642173

Length: 3.0 m

Article no. 642172



HABITO FLEX 83

Flexible corner bead on a roll

A flexible corner bead for embedded in filler. Suitable for inside and outside corners on plaster, concrete, fabric and painted surfaces at all angles. The corner bead is made of a co-polymer core that is embedded in paper, making the bead very strong and resilient to cracks and wear. It is stable and is not affected by temperature or humidity variations. The front and rear sides have densely fibred special paper designed to provide the best adhesion to filler. For the best results, mount the bead in Dalapro Joint and apply a final layer of Dalapro Nova, and use corner tools when installing.

Length: 30 m

Width: 83 mm

Article no. 642176



AQUABEAD OUTSIDE 90

Adhesive corner bead for outside corners

An adhesive corner bead suitable for 90-degree outside corners on paper-faced plaster board. The bead must be sprayed with plenty of water before being pressed into place. The paper guarantees adhesion to the subsequent layer of filler. The corner bead is made of a co-polymer core that is laminated in paper, making the bead strong and resilient to cracks and wear. For the best results, use corner tools when installing.

Length: 2.5 m

Article no. 642137

Length: 2.7 m

Article no. 642135

Length: 3.0 m

Article no. 642138



AQUABEAD FLEX PRO

Flexible corner bead on a roll

An adhesive, flexible corner bead on a roll. Suitable for outside and inside corners and other angles on papered plasterboard. The bead must be sprayed with plenty of water before being pressed into place. The paper guarantees adhesion to the subsequent layer of filler. The corner bead is made of a co-polymer core that is laminated in paper, making the bead strong and resilient to cracks and wear. For the best results, use corner tools when applying.

Length: 25 m Width: 85 mm Article no. 642142



LEVELLINE FLEX

Corner bead

A flexible corner bead for embedded in filler. Suitable for inside and outside corners on plaster, concrete, fabric and painted surfaces at all angles. The corner bead is made of a co-polymer core that is laminated in paper. It is stable and is not affected by temperature or humidity variations. For the best results, use corner tools when installing.

Length: 30 m Width: 70 mm Article no. 642181



MARCO JOINT TAPE

Paper tape

Marco Joint Tape is a paper tape produced for the strong reinforcement of plasterboard and other board joints in ceilings and on wall surfaces. Produces durable plasterboard joints. Approved in accordance with the EN 13963 filler standard.

Length: 23 m	Article no. 642116
Length: 76 m	Article no. 642115
Length: 150 m	Article no. 642114



FIBAFUSE

Glass fibre tape

Fibafuse is a thin, easy-to-use glass fibre tape specially developed to provide strong reinforcement for board joints and cracks in walls and ceilings. Ideal if the surface has no recess, for example in cross joints, cracks in concrete or on a cement board. Mould-resistant in accordance with ASTM D3273 mould test.

Article no. 642103



PLASTERBOARD PATCHES

Plasterboard patches

A repair patch for repairing small holes and pieces of damage indoors in walls, ceilings and doors in plasterboards. Repairs holes after, for example, drilling mistakes or the relocation of electrical sockets and spotlights in ceilings and walls. The plasterboard patch has a metal plate that is self-adhesive, which makes it quick and easy to attach. Available in three sizes.

2 patches	50x50 mm	Article no. 642123
5 patches	100x100 mm	(12 patches in total)
5 patches	150x50 mm	



DALATEX

Reinforcement covering

A fibreglass-free fabric for the lining and reinforcement of ceilings and wall surfaces where a smooth surface is desired. The fabric is manufactured from soft cellulose/polyester fibre, which makes it a better alternative for the working environment than glass fibre fabric. Dalatex reinforcement covering is gentle on the skin and respiratory tracts, easy to work with and provides the decorator with a dust-free working environment. Dalatex is suitable for all normal substrates. But not in wet rooms. It should be applied to dry, solid and cleaned surfaces at a temperature of at least +5°C. Apply the adhesive with a spray or roller. Apply the fabric edge to edge and allow to dry before priming the fabric with a primer.

Dalatex CP 80	0.8x25 m	Article no. 640117
Dalatex CP 100A	1.0x50 m	Article no. 640110



DALAPRO FLEX

Caulk

A white, elastic caulk used to seal joints and cracks around doors, windows and corners. The caulk has very good adhesion to most surfaces indoors and outdoors. The joints must always be painted over.

Cartridge	0.3 L	Article no. 620630
-----------	-------	--------------------



DALAPRO DESIGN TOPCOAT

Surface treatment that seals filled surfaces

A water-based surface treatment that reinforces filled surfaces, making them more resistant to impact, scratching and moisture. Used in combination with Dalapro Design filler and only in dry spaces indoors. After application, the filler retains its rustic appearance and any colour variations are emphasised.

Bottle	1 L	Article no. 620640
--------	-----	--------------------

TOOLS

Filling tools, tape holders, telescopic poles. You could draw up a long list of what you need for your everyday work. You can find whatever you need here – high-quality tools that help make the job easier and the end result so much better.



SPEED SMOOTHER

Ergonomic skimming blade

Skimming blade with ergonomic, easy-grip handle with replaceable blades in hardened steel. Available in 40, 50, 60 and 80 cm sizes. Compatible with extension pole and adapter. The blades are made of hardened stainless steel and 0.3 mm thick, with rounded edges.

40 cm	Article no. 642200	60 cm	Article no. 642202
50 cm	Article no. 642201	80 cm	Article no. 642203



SPEED SMOOTHER REPLACEMENT BLADES

Replacement blades

Replacement blades for the Speed Smoother. Easy to replace. The blades are made of hardened stainless steel and 0.3 mm thick with rounded edges.

40 cm	Article no. 642206	60 cm	Article no. 642208
50 cm	Article no. 642207	80 cm	Article no. 642209



EXTENSION POLE

Extension pole

Extension pole that is compatible with the Speed Smoother and Adjustment Adapter. The extension pole is made of aluminium to make it as light as possible and has a quick-lock function. Surface-treated to avoid black discolouration.

Article no. 642226



ADJUSTMENT ADAPTER

Adapter

Adapter for the Speed Smoother. Clamps the smoother in place and is adjustable to various angles for optimal access and convenience.

Article no. 642225



STANDARD KNIVES

Filling tools for various purposes

A standard tool for applying filler. The blade is stable. 1.2 mm thick, made of hardened stainless steel. The tool has an integrated screwdriver. Available in two sizes, 6 cm and 8 cm.

6 cm	Article no. 642213
8 cm	Article no. 642214



HEAVY DUTY

Tool for removing wallpaper

A tool with an extra-thick blade angled at 20 degrees for maximum efficiency when removing wallpaper. The angle also reduces the risk of knuckles rubbing against the wall when scraping. The blade is made of hardened stainless steel. The tool has an integrated screwdriver.

Article no. 642220



TRIANGLE

For applying filler in 90-degree angles

For applying filler in angles in ceilings and walls. The blade is made of hardened stainless steel and is shaped to an angle of 90 degrees. The tool has an integrated screwdriver.

Article no. 642222



HALF MOON

For applying filler in different angles

For applying filler in different angles and for inaccessible places, e.g. behind pipes. The blade is made of hardened stainless steel. The tool has an integrated screwdriver.

Article no. 642221



MULTI-TOOL

Allround tool for filling work

Allround, high-quality tool with lots of smart functions. Extra-thick 1.7 mm blade made of hardened stainless steel. Can be used to clean rollers and clamps, to remove pins and screws and to scrape off old paint and wallpaper. The tool has an integrated screwdriver.

Article no. 642219



PAPER TAPE HOLDER

Holder for joint tape

Tape holder, a practical tool when filling joints in plasterboard. Hangs from a belt, so you always have the tape within reach. Suitable for all paper tapes up to 150 metres.

Article no. 642126



DOUBLE BARREL HOPPER

Corner bead tool

A smart aid for applying filler to corner beads. Allows for quick, easy application. Suitable for all kinds of corner reinforcements for inside and outside corners. The product is of high quality, it is very resistant and has no loose parts that can be lost.

Article no. 642157



OUTSIDE 90 ROLLER

Outside corner bead tool

The Outside Roller is a quality tool for applying outside corner beads. The roller expels excess filler and allows for quick, simple application. The product is of high quality, extremely wear-resistant and easy to keep clean.

Article no. 642191



INSIDE 90 ROLLER

Corner bead tool for inside corners

The Inside Roller is a quality tool for applying internal corner beads. The roller expels excess filler and allows for quick, simple application. The product is of high quality, extremely wear-resistant and easy to keep clean.

Article no. 642190



EXTENSION SHAFT

Extension shaft

An adjustable extension shaft for the roller tools. Easy-grip handle. Specially adapted for our roller tools.

Article no. 642130



ADAPTER

Adapter for the telescopic shaft

Convenient, flexible plastic adapter that is compatible with the most common shafts in the market. Easy to click onto the shaft. The adapter is needed for our roller tools to fit onto the extension shaft.

Article no. 642186



SPEED MAX ROLLER

Filler roller

Black roller with a clamp specially developed for applying filler. Using a roller makes the job quicker and the work is easier on the back and shoulders. Use together with Dalapro Roller Filler.

80 mm	Article no. 642230
180 mm	Article no. 642231
230 mm	Article no. 642232



SPEED MAX REFILL

Filler roller refill

Refill for Speed Max Roller. Pack of 5.

80 mm	Article no. 642235
180 mm	Article no. 642236
230 mm	Article no. 642237



SYSTEMS WITH FILLERS, ACCESSORIES & TOOLS

Choose the right filler, bead and tools for smooth, fast installation.
Using systems like these makes the job so much easier and produces
the best possible result.

CORNER

JOINTS

USE ONE OF THESE
FILLERS FOR THE
FIRST AND SECOND
APPLICATION



ACCESSORIES



TOOLS



FINAL
APPLICATION,
A THIN LAYER



ORDER, SALES & TECHNICAL SUPPORT

PLACE AN ORDER

You can place an order by phone
or by sending an email to us.

Order email: order.dalapro@saint-gobain.com



Anna Segerstedt

Teamleader & Sales support
Mobil: +46 (0)72-386 91 17
anna.segerstedt@saint-gobain.com



Maritha Lejtorp

Sales Support
Tlf. +46 (0)19-46 34 31
maritha.lejtorp@saint-gobain.com



OUR APP – BEST FINISH

Download our app and see the difference made by quality filler and the right corner beads. With our products, joints and corners are more resistant to wear and tear.

Find the app at:
www.dalapro.com

SALES & TECHNICAL SUPPORT

We have always worked in close collaboration with our customers, and we are happy to share our specialist knowledge and extensive experience. Please contact Bryan Tvedt and Henrik Thomsen if you have any general questions about Dalapro. Fredrik Brokmark and Mattias Hedenström will answer technical questions about our products.



Fredrik Brokmark

International Project Manager
Mobile: +46 (0)70-547 51 92
fredrik.brokmark@saint-gobain.com



Bryan Tvedt

Sales Manager
Denmark, Belgium, Holland, Iceland & UK
Mobile: +45 26 87 51 60
bryan.tvedt@saint-gobain.com



Mattias Hedenström

Technical Specialist
Mobile: + 46 (0)72-364 17 38
mattias.hedenstrom@saint-gobain.com



Henrik Thomsen

Sales Manager Western Europe
Mobile: +45 26 11 93 73
henrik.thomsen2@saint-gobain.com



TIPS FOR THE STORE

- ▶ Set up our product guide sign in the store.
- ▶ Print out product data sheets and display them by the pallets.
- ▶ Always keep the filler book "Nice & Smooth" and the product catalogue by the checkout for tips and advice.
- ▶ Order our folders and display them in the store.
- ▶ Become a filling professional. Learn more about fillers so that you can better help your customers by completing course on fillers. You can also display a sign so that your customers can access it. Ask your salespeople for signs to display by the checkout or by the products.
- ▶ Tell your customers about dalapro.com and Dalapro on social media.
- ▶ Contact your salesperson if you need any help or more display tips: info@dalapro.com

CONTACT US

HEAD OFFICE AND PLANT IN GLANSHAMMAR

Saint-Gobain Sweden AB, Scanspac
Kemivägen 7
SE-705 97 Glanshammar, Sweden
+46 (0)19-46 34 00
info@dalapro.com

OFFICE AND PLANT IN SALA

Saint-Gobain Sweden AB, Scanspac
Norrängsgatan 35
SE-733 38 Sala, Sweden
+46 (0)224-373 00
info@dalapro.com

SALES AND MARKETING

Jimmy Fröberg

Sales Director
+46 (0)70-615 34 09
jimmy.froberg@saint-gobain.com

Bryan Tvedt

Sales Manager
Denmark, Belgium, Holland, Iceland & UK
+45 26 87 51 60
bryan.tvedt@saint-gobain.com

Henrik Thomsen

Sales Manager Western Europe
+45 26 11 93 73
henrik.thomsen2@saint-gobain.com

TECHNICAL SUPPORT

Fredrik Brokmark

International Project Manager
+46 (0)70-547 51 92
fredrik.brokmark@saint-gobain.com

Mattias Hedenström

Technical Specialist
+46 (0)72-364 17 38
mattias.hedenstrom@saint-gobain.com

CUSTOMER SUPPORT & ORDERS

Anna Segerstedt

Teamleader & Sales support
+46 (0)72-386 91 17
anna.segerstedt@saint-gobain.com

Maritha Lejtorp

Sales Support
+46 (0)19-46 34 31
maritha.lejtorp@saint-gobain.com